

## Windows Specification Guideline

### Detailed Specification - Casement window

|                      |                                |
|----------------------|--------------------------------|
| Frame Finish         | Rosewood/White                 |
| Sash                 | Internally Glazed              |
| Reinforcing          | Fully reinforced (Thermal)     |
| Handle Type          | Fab & Fix Inline Espag Handles |
| Handle Colour        | Rosewood/White                 |
| External Cill        | 150mm Cill                     |
| Cill External Colour | Rosewood/White                 |
| Lock type            | Extreme 1                      |
| Dog bolts            | Not Required                   |
| Trickle vent         | Frame Colour mm Trickle vent   |

**Spacer bar:** Black spacer

**Glass feature:** ---

**Glass type:** 28mmSoftcoat/SwissV & Argon/LowIron/T STIPPOLYTE

### Measures

| Window no.  | Width(mm) | Height(mm) |
|-------------|-----------|------------|
| 1. VC2      | 1200      | 1080       |
| 2. VC3      | 1160      | 1150       |
| 3. VC1      | 900       | 1160       |
| 4. Shop     | 2590      | 2210       |
| 5. Shop (2) | 2590      | 2210       |
| 6. Shop (3) | 2590      | 2210       |

|                       |      |      |
|-----------------------|------|------|
| 7. Shop (4)           | 900  | 1160 |
| 8. Tea room           | 790  | 1540 |
| 9. Tea room (2)       | 1940 | 1530 |
| 10. Tea room (3)      | 790  | 1530 |
| 11. Tea room (4)      | 790  | 1540 |
| 12. Tea room (5)      | 790  | 1530 |
| 13. Tea room (6)      | 1940 | 1530 |
| 14. Tea room (7)      | 790  | 1540 |
| 15. Tea room (8)      | 1940 | 1530 |
| 16. Kitchen           | 740  | 750  |
| 17. Ladies toilet     | 460  | 580  |
| 18. Ladies toilet (2) | 460  | 580  |
| 19. Ladies toilet (3) | 460  | 580  |
| 20. Mens toilet       | 460  | 580  |
| 21. Mens toilet (2)   | 460  | 580  |
| 22. Mens toilet (3)   | 520  | 780  |
| 23. Mens toilet (4)   | 460  | 580  |
| 24. Barn              | 1200 | 2100 |
| 25. Classroom         | 2570 | 1230 |
| 26. Classroom (2)     | 1600 | 1250 |
| 27. Classroom (3)     | 2570 | 1230 |
| 28. Classroom (4)     | 2570 | 1230 |
| 29. Classroom (5)     | 760  | 1240 |
| 30. Tool stores       | 1200 | 1040 |
| 31. Tool stores (2)   | 1200 | 1040 |
| 32. Tool stores (3)   | 1200 | 1040 |
| 33. Tool stores (4)   | 920  | 1040 |
| 34. Tool stores (5)   | 920  | 1040 |
| 35. Upstairs flat     | 1800 | 800  |
| 36. Upstairs flat (2) | 600  | 750  |
| 37. Upstairs flat (3) | 920  | 1040 |
| 38. Upstairs flat (4) | 1200 | 1300 |
| 39. Upstairs flat (5) | 600  | 750  |
| 40. Upstairs flat (6) | 1200 | 1300 |
| 41. Flat landing      | 600  | 750  |

|                      |      |      |
|----------------------|------|------|
| 42. Staff room       | 1210 | 1170 |
| 43. Staff room (2)   | 920  | 1200 |
| 44. Filing room      | 930  | 1160 |
| 45. Above exit door  | 1300 | 300  |
| 46. G2               | 1210 | 1160 |
| 47. Ladies toilet GF | 500  | 710  |
| 48. Mens GF          | 500  | 710  |
| 49. Kitchen GF       | 500  | 710  |
| 50. G3               | 930  | 1200 |
| 51. G4               | 930  | 1200 |
| 52. Landing          | 910  | 1160 |
| 53. F1               | 920  | 1020 |
| 54. F2               | 510  | 1010 |
| 55. F2 (2)           | 910  | 1160 |
| 56. F3               | 920  | 1030 |
| 57. F3 (2)           | 500  | 1020 |
| 58. F4               | 1200 | 1310 |
| 59. F4 (2)           | 920  | 1010 |
| 60. F5               | 930  | 1020 |
| 61. F5 (2)           | 500  | 1020 |
| 62. F5 (3)           | 920  | 1010 |
| 63. Men's upstairs   | 500  | 710  |
| 64. Ladies upstairs  | 500  | 710  |
| 65.                  |      |      |
| 66.                  |      |      |

Please note that these are approx. measures, and a full survey will need to be undertaken by the contractor to ensure correct measures are obtained.